

The Rifton E-Pacer: For Unweighted Gait in the Adult Neuro Population

An evidence based-approach

Linda Rusiecki DPT and Lori Potts PT

September 12, 2019

BIAMI Conference

References

1. Tyrell, C.M., Roos, M.A., Rudolph, K.S., & Reisman, D.S. (2011) Influence of systematic increases in treadmill walking speed on gait kinematics after stroke. *Phys Ther.* 91(3):392-403. <https://doi.org/10.2522/ptj.20090425> Full Text Accessed Through Spectrum Health Library Services
2. Cha, Y., Kim, Y., Hwang, S., & Chung, Y. (2014) Intensive gait training with rhythmic auditory stimulation in individuals with chronic hemiparetic stroke: a pilot randomized controlled study. *NeuroRehabilitation.* 35(4):681-8. <https://doi.org/10.3233/NRE-141182> Full text accessed through Spectrum Health Library Services
3. Chen, G., & Patten, C. (2006) Treadmill training with harness support: selection of parameters for individuals with poststroke hemiparesis. *Journal of Rehabilitation Research & Development*, 43(4): 485-497. <https://www.rehab.research.va.gov/jour/06/43/4/pdf/Chen.pdf> Free Full Text
4. Chen, I.H., Yang, Y.R., Chan, R.C., & Wang, R.Y. (2014) Turning-based treadmill training improves turning performance and gait symmetry after stroke. *Neurorehabil Neural Repair.* 28(1):45-55. <https://doi.org/10.1177/1545968313497102> Free Full Text
5. Delussu, A.S., Morone, G., Iosa, M., Bragoni, M., Trallesi, M., & Paolucci, S. (2014) Physiological responses and energy cost of walking on the Gait Trainer with and without body weight support in subacute stroke patients. *J Neuroeng Rehabil.* Apr 10;11:54. <https://doi.org/10.1186/1743-0003-11-54> Free Full Text
6. Dobkin, B.H. (1999) An overview of treadmill locomotor training with partial body weight support: a neurophysiologically sound approach whose time has come for randomized clinical trials. *Neurorehabilitation & Neural Repair*, 13(3): 157-165. <https://doi.org/10.1177/154596839901300301> Free Full Text
7. Druzbicki, M., Przystada, G., Guzik, A., Brzozowska-Magoń, A., Kołodziej, K., Wolan-Nieroda, A., Majewska, J., & Kwolek, A. (2018) The Efficacy of Gait Training Using a Body Weight Support Treadmill and Visual Biofeedback in Patients with Subacute Stroke: A Randomized Controlled Trial. *Biomed Res Int.* Apr 5. Article ID 3812602. <https://doi.org/10.1155/2018/3812602> Free Full Text
8. Cho M.K., Kim J.H., Sujin Y.C. (2015) Treadmill Gait training Combined with Functional Electrical Stimulation on Hip Abductor and Ankle Dorsiflexor Muscles for Chronic Hemiparesis. *Gait & Posture.* PII S0966-6362 (15) 00450-6. <http://dx.doi.org/doi:10.1016/j.gaitpost.2015.04.009> Full Text Accessed through Spectrum Health Document Library
9. Kesar T.M., Reisman D.S., Perumal R., et. al. (2010) Combined effects of fast treadmill walking and functional electrical stimulation on post-stroke gait. *Gait & Posture* 33: 309-313. Full Text accessed through Spectrum Health Library Services

10. Gama, G.L. Celestino M.L., Barela J.A. et. al (2016) Effects of Gait Training With Body Weight Support on a Treadmill Versus Overground in Individuals With Stroke. *Archives of Physical Medicine and Rehabilitation*. (11) 738-745 Full Text accessed through Spectrum Health Library Services
11. Iosa, M., Morone, G., Bragoni, M., De Angelis, D., Venturiero, V., Coiro, P., Pratesi, L., & Paolucci, S. (2011) Driving electromechanically assisted Gait Trainer for people with stroke. *J Rehabil Res Dev*. 48(2):135-46. <https://www.rehab.research.va.gov/jour/11/482/pdf/page135.pdf> Free Full Text
12. Eng J.J., Tang P.F. (2007) Gait training strategies to optimize walking ability in people with stroke: A synthesis of the evidence. *Expert Rev Neurother*. 7 (10): 1417-1436. Full Text accessed through Spectrum Health Library Services
13. Lindquist, A.R.R., Prado, C.L., Barros, R.M.L., Mattioli, R., da Costa, P.H.L., & Salvini, T.F. (2007) Gait training combining partial body-weight support, a treadmill, and functional electrical stimulation: effects on poststroke gait. *Physical Therapy*, 87(9), 1144-1154. <https://doi.org/10.2522/ptj.20050384> Free Full Text
14. Cumming, T.B, Thrift, A.G., Collier, J.M. et al. (2011) Very Early Mobilization After Stroke Fast-Tracks Return to Walking. Further Results From the Phase II AVERT Randomized Controlled Trial. *Stroke*. (42) 153-158 <https://www.ahajournals.org/doi/pdf/10.1161/STROKEAHA.110.594598> Free Full Text
15. Mao, Y.R., Lo, W.L., Lin, Q., Li, L., Xiao, X., Raghavan, P., & Huang, D.F. (2015) The Effect of Body Weight Support Treadmill Training on Gait Recovery, Proximal Lower Limb Motor Pattern, and Balance in Patients with Subacute Stroke. *Biomed Res Int*. 2015:175719. <https://doi.org/10.1155/2015/175719> Free Full Text
16. McCain, K.J., Pollo, F.E., Baum, B.S., Coleman, S.C., Baker, S., & Smith, P.S. (2008) Locomotor treadmill training with partial body-weight support before overground gait in adults with acute stroke: a pilot study. *Arch Phys Med Rehabil*. 89(4):684-91. <https://doi.org/10.1016/j.apmr.2007.09.050> Free Full Text
17. Mulroy, S.J., Klassen, T., Gronley, J.K., Eberly, V.J., Brown, D.A., & Sullivan, K.J. (2010) Gait parameters associated with responsiveness to treadmill training with body-weight support after stroke: an exploratory study. *Phys Ther*. 90(2):209-23. <https://doi.org/10.2522/ptj.20090141> Free Full Text
18. Park, B.S., Kim, M.Y., Lee, L.K., Yang, S.M., Lee, W.D., Noh, J.W., Shin, Y.S., Kim, J.H., Lee, J.U., Kwak, T.Y., Lee, T.H., Kim J.Y., & Kim, J. (2015) Effects of conventional overground gait training and a gait trainer with partial body weight support on spatiotemporal gait parameters of patients after stroke. *J Phys Ther Sci*. 27(5):1603-7. <https://doi.org/10.1589/jpts.27.1603> Free Full Text
19. Ng, M.F., Tong, R.K., & Li, L.S. (2008) A pilot study of randomized clinical controlled trial of gait training in subacute stroke patients with partial body-weight support electromechanical gait trainer and functional electrical stimulation: six-month follow-up. *Stroke*. 39(1):154-60. <https://doi.org/10.1161/STROKEAHA.107.495705> Free Full Text
20. Prado-Medeiros, C.L., Sousa, C.O., Souza, A.S., Soares, M.R., Barela, A.M., & Salvini, T.F. (2011) Effects of the addition of functional electrical stimulation to ground level gait training with body weight support after chronic stroke. *Rev Bras Fisioter*. 15(6):436-44. <http://dx.doi.org/10.1590/S1413-35552011005000030> Free Full Text

21. Song, G.B., & Ryu, H.J. (2016) Effects of gait training with rhythmic auditory stimulation on gait ability in stroke patients. *J Phys Ther Sci.* 28(5):1403-6. <https://doi.org/10.1589/jpts.28.1403> Free Full Text
22. Sousa, C.O., Barela, J.A., Prado-Medeiros, C.L., Salvini, T.F., & Barela, A.M. (2011) Gait training with partial body weight support during overground walking for individuals with chronic stroke: a pilot study. *J Neuroeng Rehabil.* 8:48. <https://doi.org/10.1186/1743-0003-8-48> Free Full Text
23. Sousa, C.O., Barela, J.A., Prado-Medeiros, C.L., Salvini, T.F., & Barela, A.M. (2009) The use of body weight support on ground level: an alternative strategy for gait training of individuals with stroke. *J Neuroeng Rehabil.* 6:43. <https://doi.org/10.1186/1743-0003-6-43> Free Full Text
24. Srivastava, A., Taly, A.B., Gupta, A., Kumar, S., & Murali, T. (2016) Bodyweight-supported treadmill training for retraining gait among chronic stroke survivors: A randomized controlled study. *Ann Phys Rehabil Med.* 59(4):235-41. <https://doi.org/10.1016/j.rehab.2016.01.014> Free Full Text
25. Sullivan, K.J., Knowlton, B.J., & Dobkin B.H. (2002) Step training with body weight support: effect of treadmill speed and practice paradigms on poststroke locomotor recovery. *Archives of Physical Medicine & Rehabilitation*, 83(5): 683-691. <https://doi.org/10.1053/apmr.2002.32488> Free Full Text
26. Ullah, M.A., Shafi, H., Khan, G.A., Malik, A.N., & Amjad, I.J. (2017) The effects of gait training with body weight support (BWS) with no body weight support (no-BWS) in stroke patients. *Pak Med Assoc.* 67(7):1094-1096. http://jpma.org.pk/full_article_text.php?article_id=8285 Free Full Text
27. Tyrell C.M., Roos M.A. Rudolph K.S., Reisman D.S. Influence of Systematic Increases in Treadmill Walking Speed on Gait Kinematics After Stroke. *Physical Therapy* (91)3:392-403 Full Text Accessed through Spectrum Health Document Library
28. Hornby, G.T., Holleran C.L., Hennessy P.W., et. al. (2016) Variable Intensive Early Walking Poststroke (VIEWS): A Randomized Controlled Trial. *Neurorehabilitation and Neural Repair.* 30(5) 440-450. <https://journals.sagepub.com/doi/pdf/10.1177/1545968315604396> Free Full Text
29. Straube, D.S., Holleran C.L., Kinnaird C.R., et al. (2014) Effects of Dynamic Stepping Training on Nonlocomotor Tasks in Individuals Poststroke. *Physical Therapy* 94 (7) 921-933 <https://journals.sagepub.com/doi/pdf/10.1177/1545968315604396> Free Full Text
30. Werner, C., von Frankenberg, S., Treig, T., et al. (2002) Treadmill Training With Partial Body Weight Support and an Electromechanical Gait Trainer for Restoration of Gait in Subacute Stroke Patients. *Stroke.* (2) 2895-2901 Full Text Accessed through Spectrum Health Document Library
31. Kleim JA, Jones TA. (2008) Principles of experience-dependent neural plasticity: implications for rehabilitation after brain damage. *J Speech Lang Hear Res.* Feb;51(1):S225-39. <https://www.semanticscholar.org/paper/Principles-of-experience-dependent-neural-for-after-Kleim-Jones/2bfc5e0ed469a68638649e3a76082eacc3d75f15> Free Full Text
32. Schmidt, R. A., Lee, T.D., Winstein, C.J., Wulf, G., Zelaznik H.N. (2019). *Motor Control and Learning: A Behavioral Emphasis, 6th Edn.* Champaign, IL: Human Kinetics, p438. Available at https://www.amazon.com/Motor-Control-Learning-Behavioral-Emphasis/dp/1492547751/ref=dp_ob_title_bk